

BLOOMERANG[®] Dwarf Pink

Syringa 'SMNJRPI'

ppaf, cbraf

Common name: reblooming lilac



Landscape Info:	
USDA/AHS zones:	USDA 3/AHS 7
Mature height:	2.5-3'/.7-.9 m
Exposure:	Full sun
Irrigation:	Average

Features & Benefits:
<ul style="list-style-type: none"> - Improved version of Bloomerang 'Pink Perfume' lilac, more vigorous, better color, fragrance. - Blooms in spring along with other lilacs, then reblooms late summer-fall. - Very disease-resistant; deer resistant as well. - A versatile landscape plant for cooler climates, though it has shown excellent heat performance.



Cultural info:		
pH Level:	5.6 – 6.2	
Nutrient Needs:	Average	
EC (2:1 extract):	0.6 – 0.9	
Light Level:	Moderate-high	
Watering:	Moderate	
Rooting Out Temp:	65 – 72° F/18.3 – 22.2° C	
Overwintering Temp:	Polyhouse, no heat (where hardy)	
Sales Window:	All season; spring bloom w/summer rebloom	
Blooms On:	Old and new wood	
Trimming/pruning:	Trim 3-4 times	
Vernalization:	Required	
Vigor Rating:	Average	
Finish Size	Liner Size	Weeks of Active Growth to Finish
1 gallon	2 ¼" • 4" • QT	12-14 • 11-13 • 10-12
2 - 3 gallon	2 ¼" • 4" • QT	18-22 • 16-20 • 14-18

Grower Tips:
<ul style="list-style-type: none"> • A much better production plant than 'Pink Perfume,' which it replaces. • Easy to ship in bloom for spring sales. • This is a vigorous variety that offers faster and easier production than other lilacs, even in warmer climates. • First and most abundant bloom is on old wood – spring or dormant pruning will remove all these flower buds. Allow 8-10 weeks after a trim for new wood flowers to develop. • Trim frequently during the first season to produce a densely branched, nicely rounded plant. This will result in the best in-bloom presentation the following season. • Though disease-resistant in the landscape, in production it should be closely monitored for various diseases, especially rhizoctonia and phytophthora. See our reference sheet, Control of Common Diseases of <i>Syringa</i>, for complete details.
NOTES: